

INDEX MAPS.

T.24N. R.13E. 2nd Mer.

	204		204		204		203		203		203	
206	6	228	5	223	4	219	3	215	2	211	1	202
	228		228		222		218		214		210	
206	7	227	8	222	9	218	10	214	11	210	12	202
	227		227		222		217		214		209	
206	18	226	17	221	16	217	15	213	14	209	13	202
	226		225		221		217		213		209	
206	19	225	20	220	21	216	22	213	23	208	24	201
	225		224		220		216		212		208	
205	30	224	29	220	28	216	27	212	26	208	25	201
	224		223		219		215		211		207	
205	31	223	32	219	33	215	34	211	35	207	36	201
	199		199		199		200		200		200	

T.25N. R.13E. 2nd Mer.

	236		236		235		235		235		234	
238	6	261	5	255	4	251	3	247	2	242	1	231
	261		260		255		251		246		242	
238	7	260	8	255	9	250	10	246	11	242	12	234
	260		259		254		250		246		241	
237	18	259	17	254	16	250	15	245	14	241	13	233
	259		258		253		249		245		240	
237	19	258	20	253	21	249	22	245	23	240	24	233
	258		257		253		249		244		239	
236	30	257	29	252	28	248	27	244	26	239	25	233
	256		256		252		248		243		239	
236	31	256	32	252	33	248	34	242	35	238	36	232
	232		232		231		231		231		231	

Mauden Mubach 260

231

Township 25 North. Range 13 East, 2nd Ma. Ind

Ch. W. South Boundary. Var. 6° E.

West On S. Side of Sec. 36.

40.00 Set q. sec. post, from which
a Hickory 12 in. diam. bears N 74° W. 40 ft.
a Do. 10 " " " N 74° E. 17 "

42.00 a Wh. Oak 24 in. diam.

80.00 Set post Cor. to Sec. 35 & 36, fr. wh.
a P. Oak 10 in. dia. bears East, 1260 ft. dist.
Land, Rich. Timb. Oak, Hickory &c.

West On S. Side of Sec. 35.

40.00 Set q. sec. post, from which
a Wh. Oak 40 in. dia. bears N 81° E. 51 ft.
a P. Oak 24 " " " S 45° W. 14 "
March 3rd 1820.

69.80 a Wh. Oak 10 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, fr. wh.
a Wh. Oak 10 in. dia. bears S 24° W. 32 ft.
a Do. 12 " " " N. W. 19 ft. dist.
Land, at above.

West On S. Side of Sec. 34.

33.30 a Wh. Oak 12 in. diam.

40.00 Set q. sec. post, from which
a Hickory 12 in. dia. bears S 86° E. 40 ft. dist.
a Wh. Oak 24 " " " S 40° W. 32 " "

76.64 a Do. 10 " "

80.00 Set post Cor. to Sec. 33 & 34, fr. wh.
a Wh. Oak 24 in. dia. bears N 37° E. 30 ft. dist.
a Dogwood 10 " " " S 51° W. 26 " "
Land, at above.

West On S. Side of Sec. 33.

25.62 a Wh. Oak 24 in. diam.

40.00 Set q. sec. post, from which

232
T. 25 N. R. 13 E. 2nd Mer. Ind. &
Ch. M.

a Hickory 10 in. dia. bears N 18 E. 22 lb. &
a Beech 12 " " " S 40 - 4 lb. dist.
80.00 Set post cor. to sec. 32 & 33, fr. wh.
a Wh. Oak 10 in. dia. bears N 22 E. 54 lb. &
a Do. 10 " " " S 85 W. 74 " dist.
Land, as above.

West On E. side of sec. 32.

19.60 a Beech 12 in. diam.

40.00 Set gr. sec. post, from which
a Wh. Oak 12 in. dia. bears N 2 E. 2 lb. &
a Hickory 10 " " " S 2 W. 10 " dist.

68.62 a Beech 12 in. diam.

80.00 Set post cor. of sec. 31 & 32, fr. wh.
an Ash 24 in. dia. bears N 20 W. 8 lb. &
an Ironwood 8 in. " " S 24 W. 22 " dist.
Land, Rich. Limb. Beech, Oak,
Ash &c. and. gth. Spice &c.

West On E. side of sec. 31.

11.25 a Beech 12 in. diam.

40.00 Set gr. sec. post, from which
a Beech 12 in. dia. bears N 67 E. 25 lb. &
a Do. 12 " " " S 2 W. 24 " dist.

65.25 a Beech 24 in. diam.

81.00 Intersect N. line of Township —
Between Ranges 12 & 13 East, Towns
24 & 25 N. 150 lb. S. of temporary
6 mile post. March 4th 1820.
Surveyed by

John M. Donald.
Dep. Sur.

East Boundary. N. 5° 45' E.

North On E. side of sec. 36.

T. 25 N. W. 13 E. 2nd Sec. Ind. 233

Al. 1/4!

31.75 a Hickory 10 in. diam.
40.00 Set gr. sec. post, from which
a Hickory 18 in. diam. bears S 36 E. 50 lb.
an Ash 16 " " " N 5 W. 24 " dt.
80.00 Set post cor. to sec. 25 & 36, fr. wh.
a Beech 10 in. dia. bears S 35 E. 11 lb. dt.
a Do. 10 " " " N 35 W. 9 " "
Land, Rich. Limb. Beech, Sugar
Oak, & Hickory. Mud. yth. Spice.

North An E. Side of sec. 25.

40.00 Set gr. sec. post, from which
a Beech 24 in. dia. bears S 32 W. 26 lb.
a Dogwood 8 " " " S 82 E. 26 " dt.
80.00 Set post cor. to sec. 24 & 25, fr. wh.
a Wh. Oak 12 in. diam. bears South 14 lb.
an Ash 8 " " " N 40 E. 42 " dt.
Land, as above.

North An E. Side of sec. 24.

40.00 Set gr. sec. post, from which
a Beech 24 in. dia. bears S 45 W. 24 lb. dt.
a Do. 24 " " " N 60 E. 10 " "
71.69 a Hickory 24 in. diam.
80.00 Set post cor. of sec. 13 & 24, fr. wh.
an Elm 24 in. dia. bears S 30 W. 63 lb. dt.
a Hickory 0 " " " N 37 E. 19 " "
Land, as above.

North An E. Side of sec. 13.

40.00 Set gr. sec. post, from which
a Beech 12 in. dia. bears N 5 E. 12 lb. dt.
an Ironwood 5 in. " " S 15 E. 12 " "
66.60 a Beech 24 " diam.
80.00 Set post cor. to sec. 12 & 13, fr. wh.
an Ash 18 in. dia. bears N 6 W. 24 lb. dt. &

T. 25 N. R. 13 E. 2nd Mer. Ind. a

ch. 2nd a Hickory 18 in. dia. bears N 16 E. 16 lb. dist.
Land, as before.

North On E. side of Sec. 12.

37.50 2nd Mahoe 185 lb. dist. 5th W.

37.50 an Ironwood 8 in. dia. dist.

40.00 Set gr. sec. post, from which
an Ash 8 in. dia. bears S 5 W. 14 lb. dist. &
a Dogwood 8 in. dia. N 45 W. 9 " "

54.00 a Wh. Oak 12 in. dia.

80.00 Set post cor. to sec. 14 & 12, fr. wh.
a Hickory 12 in. dia. bears S 40 E. 29 lb. dist.
a Wh. Oak 8 " " " N 67 W. 11 " dist.
Land, as before.

North On E. side of Sec. 1.

27.34 a Hickory 10 in. dia. dist.

40.00 Set gr. sec. post, from which
a Wh. Oak 24 in. dia. bears S 47 E. 23 lb. dist.
a Hickory 18 " " " N 15 E. 24 " "

79.18 Set post for cor. of T. 25 & 26 North
Ranges 13 & 14 East, from which
a Wh. Oak 10 in. dia. bears S 45 W. 37 lb. dist.
a Do. 10 " " " N 50 E. 34 " "

Land, as before.

Surveyed in March 1820.
By John M. Donald,
Dep. Sur.

North Boundary

West On E. side of Sec. 36. T. 26 N. R. 13 E.

40.00 Set gr. sec. post, from which
a Wh. Oak 8 in. dia. bears N 10 E. 7 lb. dist.
a Hickory 12 " " " N 70 W. 13 " "

80.00 Set post cor. to sec. 35 & 36, fr. wh.
a Sugar 18 in. dia. bears N 54 E. 19 lb. dist.

235

T. 25 N. R. 13 E. 2nd Sec. Ind. c.

ch. 40. an Elm 12 in. dia. bears N 64 W, 19 lb. dist.
Land, Rich. Timber: Beech, Sugar,
Ash &c. mud. gth. spice &c.

Wett On S. Side of Sec. 35. T. 26 N. R. 13 E.
26.64 a Hickory 12 in. dia.
34.00 a Branch 10 lb. wide e. S.W.
41.00 Set gr. Sec. post, from which
a Beech 8 in. dia. bears East, 19 lb. &
a Do. 18 " " " S E, 15 " dist.
80.00 Set post, for cor. of Sec. 34 & 35, -
a Beech 10 in. dia. bears South, 5 lb.
an Ash 10 " " " N 40 E, 15 " dist.
Land, at above. March 1820.

Wett On S. Side of Sec. 33. T. 26 N. R. 13 E.
40.00 Set gr. Sec. post, from which
a Beech 16 in. dia. bears N 55 E, 15 lb.
a Do. 9 " " " S 60 W, 23 lb. dist.
80.00 Set post cor. to Sec. 32 & 33, fr. wh.
an Ash 8 in. dia. bears S 20 E, 15 lb. dist.
a Cottonwood 30 in. dia. " N 83 W, 29 " "
Land at above.

(This line should have preceded the last.)
Wett On S. Side of Sec. 34. T. 26 N. R. 13 E.
41.25 To Wabash River & set post, fr. wh.
a Hickory 8 in. dia. bears N 42 E, 24 lb.
a Wh. Oak 12 " " " N 42 E, 8 lb. dist.
4.60 set post on Wabash River, fr. wh.
a Hickory 10 in. dia. bears N 6 E, 8 lb. dist.
a Beech 7 " " " N 60 W, 14 " "
40.00 set gr. Sec. post, from which
a Beech 10 in. dia. bears N 52 W, 3 lb. dist. &
a Do. 20 " " " S 61 E, 38 " "
80.00 Set post, for cor. of Sec. 33 & 34, fr. wh.

T. 25 N. 16. 13 E. 2nd Mer. Ind. a
Ch. 1st 1st

a Sugar 20 in. dia. bears N 4 W. 25 N. 16 E.
a Beech 15 " " " N 16 E. 27 " 1st C.
Land Rich Limb: Beech, Sugar
Lynn &c.

West On E. Side of Sec. 32. T. 26 N. 16. 13 E.

40.00 Set gr. Sec. post, from which
a Beech 11 in. dia. bears N 75 E. 9 W. 1st C.
a Dr. 14 " " " N 85 W. 40 " "

80.00 Set post Co. to Sec. 31 & 32, fr. wh.
a Beech 12 in. dia. bears N 4 W. 13 N. 1st C.
a Sugar 18 " " " N 67 E. 26 " "
Land, as above.

West On E. Side of Sec. 31. T. 26 N. 16. 13 E.

40.00 Set gr. Sec. post, from which
a Wh. Oak 30 in. dia. bears N 54 E. 4 W. 1st C.
an Elm 20 in. dia. bears N 47 E. 7 W. 1st C.
78.00 Intersect N. line of Township at
Town cor. Post.

Land, Rich. Limb: Beech, Sugar
Walnut &c. and Jth. Spruce &c.
Surveyed in 1820.

By John M. C. Donald,
Dep. Sur.

West Boundary.

Var. 5. 30. E.

North On E. Side of Sec. 36. T. 25 N. 16. 12 E.

23.70 a Walnut 24 in. dia.

40.10 Set gr. Sec. post, from which
an Hornwood 6 in. dia. bears N 45 E. 32 W. 1st C.
an Ash 15 in. dia. bears N 58 W. 25 " 1st C.

67.90 a Hickory 24 in. dia.

80.00 Set post Co. to Sec. 25 & 36, fr. wh.
an Hornwood 7 in. dia. bears N 4 E. 1st C. 1st C.

T. 25 N. 16 E. 2nd Mer. Ind. a²³⁷
Ch. H.

a Beech 10 in. dia. bears N 12 W. 24 lb. dist.
Land, Birch, Limb. Oak, Beech,
& Hickory, und. 8th. Spice.

North On E. side of Sec. 25. T. 25 N. 16 E.
3.00 a Brook 20 lb. wide est. N. E.
38.50 a Hickory 15 in. diam.
40.00 Set gr. Sec. post, from which
a Hickory 15 in. dia. bears South, 7 lb. dist.
a Do. 16 " " " N 39 E. 33 " "
80.00 Set post Cor. to Sec. 24 & 25, fr. wh.
an Elm 16 in. diam. bears N 75 E. 5 lb. dist.
an Ash 6 " " " S 80 W. 7 " "
Land, as before.

North On E. side of Sec. 24. T. 25 N. 16 E.
11.91 a Beech 18 in. dia.
40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bears N 16 E. 27 lb. dist.
a Do. 9 " " " S 12 W. 24 " "
40.84 a Beech 12 in. diam.
80.00 Set post Cor. to Sec. 13 & 24, fr. wh.
a Sycamore 20 in. dia. bears S 8 W. 44 lb.
a Beech 12 " " " N 45 E. 16 " dist.
Land, as above.

North On E. side of Sec. 13. T. 25 N. 16 E.
26.90 a Beech 18 in. diam.
40.00 Set gr. Sec. post, from which
a Beech 16 in. dia. bears S 10 E. 18 lb. dist.
a Do. 20 " " " N 46 W. 30 " "
72.86 a Sycamore 6 in. diam.
80.01 Set post Cor. to Sec. 12 & 13, fr. wh.
an Ash 20 in. dia. bears S 11 E. 44 lb. dist.
an Ironwood 6 in. " " N 22 W. 27 " "
Land, as before.

T. 25 N. R. 13 E. 2nd Mer. Ind. a
ch. 2nd

North on E. side of sec. 12. T. 25 N. R. 12 E.
40.00 Set gr. sec. post, from which
a Beech 10 in. dia. bears N 41 E, 20 M. dist.
an Elm 24 " " " S 84 W, 31 M. dist.
21.70 a Beech 8 " "
80.00 Set post cor. to sec. 1. 17 N. fr. wh.
a Hickory in. diam. bears S 5 E, 21 M. dist.
a Bl. Oak 10 in. dia. " N 21 E, 20 " "
Land, un-

North on E. side of sec. 1. T. 25 N. R. 12 E.
30.16 an Elm 24 in. diam.
40.00 Set gr. sec. post, from which
an Ash 10 in. dia. bears S 75 E, 7 M. dist.
a Do. 8 " " " North, 16 " "
63.80 a Beech 18 " "
80.00 Set post cor. of Towns 25 & 26 N.
Ranges 12 & 13 East, from which
an Ash 20 in. dia. bears N 46 W, 8 M. dist.
a Walnut 15 " " " S 43 E, 23 " "
Land, Rich. Limb. Beech, Ash,
& Hickory. Ind. 8th. Spec.
March 1820.
Surveyed by John M. C. Donald, D.S.

Subdivisions.

Var. 6. 41. E.

North Between Secs. 35 & 36.
34.00 Left Prairie
40.00 Set gr. sec. post, from which
a Hickory 12 in. dia. bears East 6 M. dist.
a Do. 8 " " " N 62 W, 25 " "
58.73 a Do. 15 " "
80.00 Set post cor. to Secs. 25, 26, 35 & 36.
a Bl. Walnut 18 in. dia. bears South, 32 M.
a Hickory 10 in. dia. bears N 3 E, 28 " dist.

239

T. 25 N. R. 13 E. 2nd Sec. Ind. a

Ch. H.

Land, S $\frac{1}{2}$ prairie rather wet. N $\frac{1}{2}$ 2nd rate level Tim. Beech, Ash, Oak, Elm, Hickory &c. Mud, sth. of Briars & Hawth.

East On Random Betwⁿ Sec. 25 & 26.

40.00 Set temporary gr. sec. cor. post.

80.15 Intersect E. boundary. 7th S. of post.

Land, 2nd rate. Tim & Beech - Ash, Elm, Oak - Briars & Hawth.

West Correct line betwⁿ Sec. 25 & 26.

40.06 Set gr. sec. post, from which
a B. Oak 20 in. dia. bears S 65 E, 9th S. dist. &
a S. Oak 10 " " " S 50 W, 43 " "

80.13 Sec. cor.

North Between Sec. 25 & 26.

24.68 a B. Oak 24 in. diam.

40.00 Set gr. sec. post, from which
a Beech 6 in. dia. bears N 14 W, 34th S. dist.
a Do. 16 " " " S 17 E, 20th S. dist.

52.00 Enter Swamp

57.21 an Ash 15 in. diam.

59.00 Left Swamp

80.00 Set post cor. to Sec. 23, 24, 25 & 26,
a Beech 18 in. dia. bears N 84 W, 4th S. dist.
an Ash 18 " " " S 21 E, 17 " "
Land, S $\frac{1}{2}$ half 2nd rate level
Tim. Beech, Ash, Oak, Hickory.
N $\frac{1}{2}$ level wet & brushy. Tim. &
Ash, Elm, Oak, Spruce & Spice &c.

East On Random Betwⁿ Sec. 24 & 25.

40.00 Set temporary gr. sec. post.

75.00 Enter swampy Prairie.

240

T. 25 N. R. 13 E. 2nd Mer. Ind. ach. 2nd 40.

80.00 Intersect E. boundary. 12 ch. S. of post.
Land, E. half 2nd rate level, Beech
Ash, Oak Hickory Spice &c. W. 1/2
level & wet. Oak Ash Elm Spice &c.

West Correct line Between Secs. 24 & 25.

40.00 set gr. sec. post, from which
a Wh. Oak 30 in. dia. bears N 51 E, 37 ch. S. W.
a Hickory 24 " " " S 44 W, 25 " "
80.00 Sec. line.

North Between Secs. 23 & 24.

21.97 a Beech 20 in. diam.
40.00 set gr. sec. post, from which
a Beech 18 in. dia. bears N 7 E, 7 ch. S. W. &
a Hickory 16 " " " S 11 W, 48 " "
62.78 a Beech 24 in. diam.
80.00 Set post cor. to Secs. 13, 14, 23 & 24, fr. wh.
a Wh. Elm 12 in. dia. bears N 17 W, 13 ch. S. W.
a Beech 10 " " " S 5 W, 13 " "
Land, good 2nd rate level, bushy -
Beech, Oak, Ash, Elm, and 8th.
Spice P. Ash &c.

East On Main Road Between Secs. 13 & 24.

40.00 set temporary gr. sec. cor. post
74.50 a Run 4 ch. wide E. N.
78.86 Intersect E. boundary. 34 ch. S. of post.
Land, 2nd rate level bushy.
Tim. Ash, Oak Hickory, Beech &c
and 8th. Spice &c.

West Correct line Between Secs. 13 & 24.

39.43 set gr. sec. post, from which
a Wh. Elm 6 in. dia. bears S 89 W, 68 ch.
a Do. 20 " " " N 75 E, 57 " S.

S. 25 N. W. 13 E. 2nd Mer. Ind a

261

Ch. Hk.

78.86 Dec. Cor.

North Between Secs 14 & 13.

14.06 an Ash 15 in. dia.

28.00 a stream 15 ft. wide e. Co.

40.00 set gr. Sec. post, from which
a Hickory 24 in. dia. bears East 20 ft. dist.
a B. Oak 30 " " " S 77 W 23 " "

57.10 an Ash 30 " "

80.00 set post cor. to Secs 11, 12, 13 & 14. Gr. wh.
a Beech 8 in. dia. bears N 11 E, 23 ft. dist.
a Wh. Elm 10 in. dia. bears S 11 W, 11 ft. dist.
Land, good 2nd rate. Soil bushy
Timber: Beech, Sugar, Ash & Oak.
Und. gr. Spice & Hawth.

East On Random betw^{en} Secs 12 & 13.

3.00 a Run 15 ft. wide crs. N.

40.00 set temporary gr. Sec. post.

57.30 To Wabash 200 ft. wide N. W &
set post on loc. line, from which
an Ash 10 in. dia. bears N 62 W, 30 ft. dist.
a Do. 10 " " " S 62 E, 14 " "

61.30 Over River & set post, fr. which
a Walnut 16 in. dia. bears S 43 E, 5 ft. dist.
a Hickory 14 in. diam. is post.

72.94 To Wabash 150 ft. wide e. S. W. &
set post, from which
an Ash 10 in. dia. bears N 41 E, 25 ft. dist.
a W. Beech 5 in. " " S 21 W, 19 " "

75.80 Over River & set post, from which
a Walnut 10 in. dia. bears S 27 W, 25 ft. dist.
a Wh. Elm 15 " " " S 57 E, 150 ft. dist.

78.94 Intused E. boundary. 46 ft. S. of post.
Land, 2nd rate level. Beech, Oak,
Hickory, Ash, Elm, & Spice.

24th S. 25 N. N. 13 E. 2nd Mer. Ind. a

61.2 W.

West correct line betw^{en} sec. 12 & 13.

39.47 Set gr. sec. post, from which
a W. Oak 30 in. dia. bears
a Do. 20 " " " N 86 E. 107 lb. dist.
78.94 See. cor.

North Between sec. 11 & 12.

20.17 a Beech 14 in. diam.

21.70 To Wabash River 200 lb. wide
course N. W. & set post, from wh.
a Hickory 12 in. dia. bears N 68 W. 32 lb. dist.
a W. Elm 16 " " " S 37 E. 83 " "

23.10 Over River, where a Mulberry 18
in. dia. for cor. post, from which
an Ash 5 in. dia. bears S 65 E. 15 lb. dist.

40.00 Set gr. sec. post. from which
a Buckeye 6 in. dia. bears N 27 W. 40 lb. dist.
a Beech 18 " " " S 35 E. 32 "

53.90 a Do. 15 " "

80.00 Set post cor. to sec. 1, 2, 11 & 12, -
a Beech 9 in. dia. bears N 29 E. 20 lb. dist.
a Do. 18 " " " S 34 W. 12 " "
Land, good farming & level. Timb.
Beech, Sugar Ash, &c.

East On Mound betw^{en} sec. 11 & 12.

40.00 Set temporary gr. sec. post.

78.60 Intersect E. boundary. 34 lb. S. of post.
Land, 2nd rate. Oak & Hickory.
East 1/2 rolling, W. 1/2 level.

West correct line betw^{en} sec. 11 & 12.

39.30 Set gr. sec. post, from which
a Hickory 15 in. dia. bears N 18 E. 27 lb. dist.
a Burr Oak 18 in. " " S 39 W. 37 " "

78.60 See. cor.

244 S 25 N. W. 13 E. 2nd " 14 N. Ind.
Ch. 1/2

Land, level 2nd rate. E. 1/2 open
woods. Timb. Beech Sugar Ash
&c. W. 1/2 Thickets Hard-hony &c.

West correct line betwⁿ sec. 26 & 25.

39.97 Set gr. sec. post, from which
a Wh. Elm 12 in. dia. bears N 89 E. 22 1/2
an Ash 6 in. dia " " N 87 W. 26 " dist.

79.94 Sec. cor.

North Between Sec. 26 & 27.

21.40 a Wh. Elm 20 in. diam.

40.00 Set gr. sec. post, from which
an Ash 20 in. dia. bears N 40 E. 3 1/2 k. dist.
a Wh. Oak 18 in. " " N 57 W. 40 " "

58.69 a Do., 12 " dia.

80.00 Set post cor. to sec. 22, 23, 26 & 27,
a Beech 16 in. dia. bears N 6 W. 40 dist.
a Do. 16 " " " S 6 E. 21 1/2 k. dist.
Land 2nd rate level bushy Timb.
Beech, Ash, Oak & Elm. undgth. spruce.

East An Mound Between Sec. 23 & 26.

40.00 Set temporary gr. sec. post.

70.00 Swampy land

79.78 Intersect E. boundary. 21 k. E. of post.
Land, good 2nd rate level. Beech,
Ash, Oak. Whisking Oak Spruce &
Prickly Ash.

West Correct line betwⁿ sec. 23 & 26.

39.89 a Beech 8 in. dia. bears N 86 E. 31 1/2 k. dist.
a Do. 12 " " " " S 64 W. 39 " "

" " These are the gr. post bearings.

79.98 Sec. cor.

S. 25 N. W. 13 E. 2nd ²⁴⁵ Mon. Ind. a

Ch. Lk.

North Between Sec. 22 & 23.

21.42 a Sugar 15 in. diam.

40.00 Set gr. sec. post, from which
a sap. Ash 12 in. dia. bears N 42 E. 28 lb.
a Wh. Elm 30 " " " S 5 W. 22 "

59.23 a Do. 24 in. diam.

80.00 Set post cor. to sec. 14, 15, 22 & 23,
a Sugar 20 in. dia. bears N 33 E. 17 lb. dist.
a Do. 15 " " " S 4 W. 23 " "
Land good 2nd rate. Timber:
beech Sugar Ash Hickory
Spice &c.

East On Meander Between Sec. 14 & 23.

40.00 Set temporary gr. sec. post.

67.00 a Run 10 ft. wide c. N.

79.64 Intersect E. line 8 lb. S. of post.
Land, 2nd rate level bushy. Beech,
Ash, Hickory Oak &c. Spice &c.

West Corner line Betwⁿ Sec. 14 & 23.

39.82 Set gr. sec. post, from which
an Ash 8 in. dia. bears S 73 E. 16 lb. dist. &
a Do. 6 " " " N 80 W. 20 " "

79.64 Sec. cor.

North Between Sec. 14 & 15.

29.00 a Wh. Elm 24 in. diam. N. 6 E. 20 lb. E.

40.00 Set gr. sec. post, from which
a Sugar 12 in. dia. bears N 27 E. 17 lb. dist.
an Ash 8 " " " S 4 W. 40 " dist.

48.00 a Run 6 ft. wide c. E.

58.40 a Wh. Oak 24 in. diam.

80.00 Set post cor. to sec. 11, 14 & 15, p. wh.
a Hickory 20 in. dia. bears N 3 W. 19 lb. dist. &
a Maple 12 " " " S 47 W. 11 " "

246 T25 N. 13 E. 2nd Mer. Ind.

ch. W. Land, 2nd rate level bushy. Oak
Chickory, Elm &c.

East All Random (between Sec. 11 & 14.

40.00 Set temporary gr. sec. post.

62.00 a Run 12th wide E. N.

79.80 Intertical E. boundary, 19th N. of post.
Land, level 2nd rate bushy. Oak
Chickory, Elm Ash &c. w. g. Spice.

West Correct line between Sec. 11 & 14.

39.90 Set gr. sec. post. from which
a Chickory 14 in. dia. bears N 43 E, 46th &
a Sugar 24 " " " S 60 W, 12th dist.

79.80 Sec. line.

North Between sections 10 & 11.

17.00 a Chickory 24 in. diam.

40.00 Set gr. sec. post, from which
a Beech 10 in. dia. bears N 18 W, 4th dist.
a Chickory 18 in. " " S 18 E, 22 " "

56.56 a Stream 20th wide E. S. E.

63.65 a Beech 24 in. diam.

80.00 Set post cor. to Sec. 2, 3, 10 & 11, fr. wh.
a Sugar 20 in. dia. bears

a Beech 18 " " bears S 29 W, 15th dist.

Land, S. 1/2 2nd rate level. Chickory.

Ash, Oak &c. und. g. th. Spice. Land

N. 1/2 mile 1st rate rolling. Sugar
Beech, Ash & Spice.

East All Random (between Sec. 2 & 11.

8.83 To Wabash 200th wide E. N.

a Buckeye 12 in. dia. bears cor. tree, fr. wh.

a Do 12 " " " S 30 W, 16th dist.

11.29 opposite side of River set post, fr. wh.

247

T. 25 N. 13 E. 2nd Mer. Ind. a
 Ch. Sh.

a Buckeye 12 in. dia. bears N 70 E. 15 lb. dt.
 a Wh. Oak " " " for post.
 16.50 Enter swamp
 20.00 Left do.
 40.00 Set gr. sec. post, (temporary).
 79.94 Intersect E. boundary. 8 lb. S. of post.
 Land, good 2nd rate level. Lim.
 Beech, Sugar, Ash &c.

West Correct line Between sec. 2 & 11.

39.96 Set gr. sec. post, from which
 a Wh. Elm 8 in. dia. bears S 53 E. 53 lb. dt.
 a Beech 18 " " " N 58 W. 15 " "
 79.94 See cor.

North Between sections 2 & 3.

22.00 a Sugar 24 in. diam.
 29.00 To Bank of Wabash 200 lb. wide c. N.
 37.50 Left Bank.
 41.00 Set gr. sec. post, from which
 a Beech 8 in. dia. bears N 11 E. 54 lb. dt. &
 a Do. 9 " " " S 1 W. 49 " "
 57.00 To Wabash 200 lb. wide c. N. W. &
 set post, from which
 a Elm 8 in. dia. bears South 6 lb. dt. &
 a Do. 12 " " " N 17 W. 12 " "
 67.04 Over River & set post, from wh.
 a W. Elm 14 in. dia. bears S 43 E. 52 lb. dt. &
 a Buckeye 12 " " " N 14 E. 84 " dt.
 79.50 Intersect N. Boundary 35 lb. E. of post
 & set post cor. to sec. 2 & 3, from wh.
 a Sugar 5 in. dia. bears S 52 E. 29 lb. dt.
 a Elm 11 " " " S 60 W. 38 " "
 Land good farming level. Beech
 Sugar, Ash &c.

T. 25 N. R. 13 E. 2nd Mer. Ind.

Ch. H.	Between Sec. 33 & 34.
North	Enter prairie.
5.00	Left wet prairie Var. 6° 4' E.
15.00	a Wh. Oak 30 in. diam.
21.20	Set gr. sec. post, from which
40.00	a Beech 18 in. dia. bears N 44 E. 66 ft. dt.
	a Do. 12 " " " N 44 W. 37 " "
59.25	a Wh. Oak 30 in. diam.
80.00	Set post Cor. to Sec. 27, 28, 33 & 34 -
	a Beech 12 in. dia. bears S 72 E. 76 ft. dt.
	a Hickory 14 " " " N 87 W. 10 " "
	Land, N. half 2 nd rate level
	Lin. Oak, Hickory, Ash, Beech,
	Apple &c. S. half part same
	part swampy prairie.

East	On Meander Between Sec. 27 & 34.
15.50	Swampy land.
40.00	Set temporary gr. sec. post.
70.50	Enter Schakopee
77.00	Left Do.
80.00	Intersect E. boundary. 34 W. S. of post
	Land, E. half 2 nd rate level. Wh.
	& Beech, Ash, Oak, wet & flat
	on W. 1/2 & Elm, Maple & Ash.

West	Correct line Between Sec. 27 & 34.
40.00	Set gr. sec. post, from wh.
	a Wh. Elm 8 in. dia. bears N 88 W. 10 ft. dt.
	a Wh. Oak 9 " " " S 70 E. 17 " dt.
80.00	Sec. Cor.

North	Between Sec. 27 & 28.
14.90	a Hickory 18 in. diam.
40.00	Set gr. sec. post, from which
	a Beech 10 in. dia. bears N 78 E. 58 ft. dt.
	a Do. 12 " " " N 85 W. 16 " dt.

S. 25 N. 13 E. 2nd Mer. Ind. ²⁴⁹
Ch. 9th

62.31 a Beech 12 in. diam.
80.00 Set post cor. to Sect. 21, 22, 27 & 28,
a Beech 14 in. diam. bears N 15 E. 23 lb.
a Do. 12 " " " S 25 W. 9 lb. dist.
Land, S. half 2nd rate rolling
Beech Sugar Ash &c. N 1/2 level & wet.
Oak, Ash, Elm Hickory &c.

East on Maudam Between Sect. 22 & 27.
40.00 Set temporary gr. Sec. post.
80.10 Intersect E. boundary, 14 lb. N. of post.
Land, level 2nd rate. Beech Ash
Sugar Oak & Spice &c.

West Correct line Between Sect. 22 & 27.
40.05 Set gr. Sec. post, from which
an Ash 20 in. diam. bears N 12 E. 33 lb. dist.
a Beech 12 in. " " S 24 W. 21 " "
80.11 Sec. cor.

North Between Sect. 21 & 22.

21.08 a H. Oak 24 in. diam.
40.00 Set gr. Sec. post, from which
a Beech 12 in. diam. bears N 10 E. 23 lb. &
a Hickory 12 " " " S 28 W. 5 lb. dist.
60.10 a H. Oak 30 in. diam.
80.00 Set post cor. to Sect. 15, 16, 21 & 22, from which
a Beech 15 in. diam. bears N 70 E. 8 lb. dist.
a Beech 15 " " " S 75 W. 23 " "
Land good 2nd rate level. Live
Oak, Beech, Sugar Ash, & Spice.

East on Maudam Between Sect. 15 & 22.
40.00 Set tempy. gr. Sec. post.
80.31 Intersect E. boundary, 42 lb. S. of post.
Land, 2nd rate level bushy. Live.

T 25 N. 16. 13 E. 2nd Sec. Ind?
Ch. 1st 1st

Beech, Sugar, Ash, Oak. N. 8th. Spruce

West Correct line Between Sec. 15 & 22.

40.15 Set gr. Sec. post. from which
a Beech 9 in. dia. bears N 65 W. 22 lb. dist.
a Do. 9 " " " S 47 E. 17 " "

80.39 Sec. cor.

North Between Sec. 15 & 16.

22.08 a Hickory 24 in. diam.

40.00 Set gr. Sec. post. from which
a Beech 12 in. dia. bears N 64 E. 22 lb. dist.
a Do. 15 " " " S 28 W. 26 " "

50.00 a Run 6 lb. wide crs. W.

55.55 a Wh. Oak 48 in. diam.

80.00 Set post con. to Secs. 9, 10, 15 & 16.
a Beech 10 in. dia. bears N 25 W. 20 lb.
a Do. 12 " " " S 18 E. 15 " dist.
Land, 2nd rate level brushy.
Lin. Beech, Ash, Oak (Hickory &
Spruce & young timber.

East On Warden Between Sec. 10 & 15.

40.00 Set gr. Sec. post. (temporary)

79.74 Intersect E. boundary 34 lb. S. of post.
Land, level 2nd rate brushy.
Oak, Hickory, Ash, Beech &c.

West Correct line Between Sec. 10 & 16.

39.87 Set gr. Sec. post. from wh.
a B. Oak 36 in. dia. bears N 68 E. 29 lb.
a Hickory 18 " " " S 14 W. 31 " "

79.74 Sec. cor.

North Between Sec. 9 & 10.

15.50 a Beech 18 in. diam.

T. 25 N. R. 13 E. 2nd Mn. Ind. a

Ch. 1st 1/2

- 28.50 a stream 30 ft. wide e. E.
 40.00 Set gr. sec. post, from which
 a Lym 12 in. dia. bears S 54 E. 26 ft.
 a Hickory 12 " " " N 73 W. 21 ft. dist.
 80.00 Set post cor. to sec. 3 & 4, 9 & 10, fr. r.h.
 a Beech 12 in. dia. bears N 25 E. 10 ft. dist.
 a Hickory 12 " " " S 18 E. 26 " "
 Land, 2nd rate level, Pine,
 Beech, Ash, Hickory, R. Ash & Spice.

East On Meander betwⁿ sec. 3 & 10.

- 40.00 Set temporary gr. sec. post.
 79.90 Intersect E. boundary 8 ft. S. of post.
 Land, 2nd rate level. Beech, Ash
 Sugar Elm, Oak, Spice &c.

West Locust line betwⁿ sec. 3 & 10.

- 39.95 Set gr. sec. post, from which
 a Maple 20 in. dia. bears N 61 E. 45 ft. &
 an Ash 12 " " " S 58 W. 37 " dist.
 79.90 See. loc.

North Between sec. 3 & 4.

- 22.55 an Ash 12 in. dia.
 40.00 Set gr. sec. post, from which
 a B. Oak 12 in. dia. bears N 1 E. 11 ft. dist. &
 a Do. 10 " " " S 50 W. 25 " "
 62.78 a Wh. Oak 12 in. diam.
 78.80 Intersect N. boundary 490 ft. W. of post.
 & set post cor. of sec. 3 & 4, fr. r.h.
 a Wh. Elm 16 in. dia. bears N 84 E. 17 ft. dist.
 a Do. 16 " " " S 62 W. 24 " "
 Land, level & wet S. 1/2 Oak Ash &
 Elm. on N. 1/2 good farming land
 Lym, Ash, B. Elm & Spice.

T. 25 N. R. 13 E. 2nd Mer. Sec. 32

Ch. 1st 1/2

North Between sec. 32 & 33.

19.16 a Hickory 24 in. diam.

40.00 Set gr. sec. post, from which
a Bl. Walnut 20 in. dia. bears N 60 E. 53 lb.
a Beech 18 in. dia. bears S 50 W. 18 lb. dist.

58.00 a Beech 12 " "

80.00 Set post cor. to sec. 28, 29, 32 & 33,
a Yr. Ash 16 in. dia. bears N 82 E. 32 lb. &
a Yr. Elm 16 in. " " S 85 W. 18 " dist.
Land, 2nd rate level, Beech Oak
Hickory with Ponds Elm, Maple &c.

East An Random betwⁿ sec. 28 & 33.

40.00 Set temporary gr. sec. post.

79.70 Intersect E. boundary. 8 lb. S. of post.
Land. E 1/2 level & wet, Elm Maple
Ash. W. 1/2 part same - part
good 2nd rate level Beech, Ash,
Sugar Oak &c. - spire.

West Corner line betwⁿ sec. 28 & 33.

39.85 Set gr. sec. post, from which
a No. Oak 24 in. dia. bears N 24 E. 76 lb. &
a Beech 12 " " " S 15 W. 11 " dist.

Land as above

79.70 Sec. cor.

North Between sections 28 & 29.

16.81 a Yr. Elm 12 in. diam.

40.00 Set gr. sec. post, from which
a Beech 10 in. dia. bears N 68 W. 18 lb. dist.
a Do. 12 " " " S 74 E. 18 " "

61.78 a Yr. Elm 18

80.00 Set post cor. to sec. 20, 21, 28 & 29.
a Yr. Elm 12 in. dia. bears N 65 E. 12 lb. &
a Do. 12 " " " S 87 W. 20 " dist.

T. 25 N. W. 13 E. 2nd Sec. 21 & 28.
Ch. 1/4

Land wet and flat covered with water - Ash, Maple Elm & Willows

East on Meander Betwⁿ Sec. 21 & 28.

40.00 Set tempy. gr. sec. post.

79.75 Intersect E. boundy. 17 lb. S. of post.

Land, 2nd rate & level. Timber?

Beech, Ash, Oak, Hickory & Spruce.

West corner line Between Sec. 21 & 28.

39.88 Set gr. sec. post, from which
a Sugar 12 in. dia. bears S 8 E, 52 lb. dist.
a Beech 14 " " " N 62 W, 36 " "

Land, level 2nd rate. Timber.

Beech, Ash, Oak, Hickory & Spruce.

North Between Sec. 20 & 21.

22.11 a sugar 18 in. dia. dist.

40.00 Set gr. sec. post, from which
a Beech 12 in. dia. bears N 61 E 4 lb. dist.

a Do. 10 " " " S 22 W, 21 lb. dist.

58.89 a Honey Locust 10 in. dia.

80.00 Set post cor. to sec. 16, 17, 20 & 21.

a W. Oak 20 in. dia. bears S 8 E, 47 lb. dist.

an Ash 14 " " " N 60 W, 19 " "

Land 1st rate level Timber?

Beech Sugar Ash Walnut & Spruce &c.

East on Meander Betwⁿ Sec. 16 & 21.

40.00 Set temporary gr. sec. post

79.73 Intersect E. boundy. 12 lb. S. of post.

Land 1st rate level. Beech Sugar

Ash & Spruce &c.

West corner line Between Sec. 16 & 21.

S. 25 N. W. 13 E. 2nd Mer. Ind. a
alt. No.

39.86 Set gr. sec. post. from which
a Beech 12 in. dia. bears N 77 E. 28 W.
an Ironwood 5 in. dia. W. S 67 N. 18 "
Land, 1st rate level. Timber:
Beech, Sugar, Ash, Spice &c.

North Between Sec. 16 & 17.

11.31 a Pin. Oak 24 in. dia.

11.50 Enter Swamp. 15.00 swampy stream 100 ft. ^(wide c. N. W.)

34.00 Left Swamp

40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears N 66 E. 12 W.
a Do. 12 " " " S 51 W. 29 W. alt.

56.11 a Do. 24 " "

80.00 Set post cor. to Sec. 8, 9, 16 & 17.
a Hickory 20 in. dia. W. S 34 W. 10 W.
a Sugar 14 " " " S 53 E. 11 W. alt.
Land, N. 1/2 1st rate level. Timber:
Beech, Sugar, Ash, Spice &c.
S. 1/2 part same part swamp.

East An Mandom Between Sec. 9 & 16.

40.00 Set temporary gr. sec. post.

48.00 Enter Swamp

50.00 Swamp stream 100 ft. wide c. N.

55.50 Left Swamp

67.00 a Run 6 ft. wide c. N.

80.19 Intersect E. boundary. 41 ft. E. of post.
Land, E 1/2 part swamp part 2nd
rate. Level Beech, Oak, Hickory
Ash, Spice & S. Ash. W. 1/2 1st rate
level Beech, Sugar, Ash & Spice.

West Correct line Between Sec. 9 & 16.

40.10 Set gr. sec. post. from which
a White Oak 12 in. dia. bears N 15 W. 16 W.

T. 25 N. 14. 13 E. 2nd Sec. Ind. a

Ch. 1st 4th

a H. Oak 9 in. dia. bears south, 25th &
80.59 Sec. cor.

North Between Sec. 8 & 9.

21.50 an Ash 30 in. dia.

40.00 Set gr. sec. post, from which
a Hickory 8 in. dia. bears N 39 W. 38th W. 1st 4th
a Cypress 20 " " " S 39 E. 10 " "

54.59 a Hickory 30 " "

80.00 Set post cor. to sec. 4, 5, 8 & 9, gr. sub.
a Beech 16 in. dia. bears N 18 E. 18th W. 1st 4th &
a Do. 16 " " " S 41 W. 39 " "
Land, & 1/2 good for farming land
Timber: Beech, Sugar Ash, Spice,
N 1/2 level & wet. Timber: Oak, Ash,
Elm. Spice & P. Ash.

East On Random Between sections 4 & 9.

40.00 Set temporary gr. sec. post.

79.88 Intersect E. boundary at post.

Land, level & wet. Timber: Ash,
Elm & Oak, Spice & P. Ash.

West correct line Between Sec. 4 & 9.

39.94 Set gr. sec. post, from which
an Elm 11 in. dia. bears N 74 E. 23th W. 1st 4th &
an Ash 8 " " " S 74 W. 43 " "
Land, level & wet. Timber: Ash, Elm,
Oak Spice & P. Ash.

79.88 Sec. cor.

North Between Sec. 4 & 5.

15.31 a Bl. Walnut 16 in. dia.

40.00 Set gr. sec. post, fr. which
a W. Elm 18 in. dia. bears N 69 E. 34th W. 1st 4th
a Cottonwood 16 in. dia. " S 76 W. 26 " "

256

T 25 N. 13 E. 2nd Mer. Ind.?

Ch. 98.

60.35 a Cottonwood 18 in. diam.

80.05 Intersect N. Boundary 430 ft. W. of
post & set post Cor. to Sec. 4 & 5, fr. wh.
a Lyeamore 16 in. dia. bears S 32 W. 20 ft.
a Do. 14 " " " S 4 E. 17 ft. dist.
Land level & wet. Limb. Ash
Cottonwood, Elm Spice & P. Ash.

North Between Secs. 31 & 32.

25.45 a Wh. Oak 14 in. diam.

40.00 Set gr. sec. post. from which
a Beech 10 in. dia. bears N 73 E. 6 ft. &
a Do. 10 " " " S 62 W. 43 " dist.

49.45 a Run 6 ft. wide crs. E.

59.84 a Beech 14 in. diam.

80.00 Set post Cor. to Secs. 29, 30, 31 & 32,
a Beech 14 in. dia. bears N 4 W. 12 ft. dist. &
a Maple 24 " " " S 28 E. 16 " "
Land, 2nd rate level Limb. Oak,
Ash, Hickory Beech, Spice &c.

East All Meadows Between Secs. 29 & 32.

15.50 a Run 15 ft. wide C. S.

40.00 Set temporary gr. sec. post.

70.00 Enter Swamp 7000

80.04 Intersect E. boundary. 8 ft. N. of post.

Land, 2nd rate level, open woods.
Beech, Ash, Oak, Hickory &c.

West Correct line Between Secs. 29 & 32.

40.02 Set gr. sec. post. from which
a Beech 12 in. dia. bears N 12 W. 31 ft. &
an Ash 12 " " " S 4 E. 21 " dist.

80.04 Sec. line.

West Between Secs. 30 & 31.

23.42 a Beech 16 in. diam.

T. 25 N. R. 13 E. 2nd Mer. Ind. ²⁵⁷

Ch. 40.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears N 21 E. 31 ft. dist.
a Do. 6 " " " S 50 W. 23 " "

60.95 a Sugar 24 in. diam.

80.04 Intersect W. Boundary. 34 ft. E. of a
post & set post cor. to Sec. 30 & 31, fr. wh.
a H. Oak 30 in. dia. bears N 54 W. 37 ft. dist.
a Beech 15 " " " S 50 E. 11 " "
Land 2nd rate level. Linn. Oak,
Beech, Hickory & Ash.

North Between Sections 29 & 30.

17.50 Enter Swamp

23.50 a Pin Oak 30 in. diam.

29.00 a Swamp stream 50 ft. wide (Left Swamp

24.00 Set cor. q. Sec. post, from which
a Beech 20 in. dia. bears N 25 E. 17 ft. dist.
a Do. 12 " " " S 25 W. 19 " "

45.62 a Hickory 20 in. diam.

80.00 Set post cor. to Sec. 19, 20, 29 & 30, fr.
a Beech 10 in. dia. bears N 21 W. 44 ft. dist.
a Do. 12 " " " S 21 E. 39 " "
Land 2nd rate level. Beech, Ash, Oak &c.

East Between Sec. 20 & 29. on Random.

40.00 Set temporary q. Sec. post.

70.00 a Swamp stream e. N.

74.50 over ditto.

80.00 Intersect 14 ft. N. of post (E. boundary)
Land 2nd rate level. Linn. Ash,
Beech, Hickory, Spruce &c.

West Correct line Between Sec. 20 & 29.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears N 50 W. 44 ft. dist.
a Hickory 12 " " " S 45 E. 20 " "

80.00 Sec. line.

T. 25 N. R. 13 E. 2nd Mer. Ind.?

Ch. Sp.

West Between Sections 19 & 20.

20.06 a Hickory 24 in. diam.

40.00 Set gr. sec. post, from which
an Ash 8 in. dia. bears N 30 W. 28 lb. dist.
a Beech 12 " " " S 5 E. 35 " "

52.20 an Ash 30 in. dia.

79.00 Interset W. boundary. 56 lb. S. of post.
Set post cor. to Sec. 19 & 20. fr. wh.
an Ash 5 in. dia. bears N 25 W. 22 lb. &
a Beech 12 " " " S 25 E. 4 lb. dist.
Land, 2nd rate level - Mushy.
Oak, Hickory Beech & Ash.

North Between Sec. 19 & 20.

25.67 a Wh. Oak 3 in. dia.

40.00 Set gr. sec. post, from which
a Sugar 12 in. dia. bears N 37 E. 7 lb. dist. &
a Beech 8 " " " S 32 W. 29 " "

64.70 a Beech 10 " "

80.00 Set post cor. to Sec. 17, 18, 19 & 20,
a Beech 14 in. dia. bears N 54 E. 23 lb. dist.
a Do. 10 " " " N 87 W. 22 " "
Land, 2nd rate level, Beech -
Ash, Oak, Hickory &c.

East On Wagon (Between Sec. 17 & 20.

40.00 Set temporary gr. sec. post.

71.50 Swampy stream 75 lb. grade C. N.

79.92 Interset E. boundary. at post.

Land, 2nd rate level. Limb. Ash,
Beech, Oak Hickory &c.

West Correct line Between Sec. 17 & 20.

39.96 Set gr. sec. post, from which
a Beech 5 in. dia. bears N 55 E. 19 lb. dist. &
a B. Oak 8 " " " S 39 W. 19 " "

S. 25 N. W. 13 E. 2nd Sec. 18th 259

old. 2nd 1st

79.92 sec. cor.

West Between sections 18 & 19.

12.50 across 12 ft. wide cor. N.

26.95 a Beech 24 in. diam.

40.00 Set gr. sec. post, from which
an Ash 5 in. dia. bears N 56 E. 39 ft. dist.
a W. Elm 14 in. dia. N 83 W. 6 " "

55.84 a Burr Oak 30 in. "

78.58 Intersect Range line 73 ft. S. of post.
Set post cor. to Sec. 18 & 19, fr. wh.
a Sycamore 20 in. dia. bears N 134 W. 28 ft.
a W. Elm 12 " " " N 13 E. 30 ft. dist.

55.84 Land, level & wet. Oak, Ash, Hickory
Elm &c.

North Between sections 17 & 18.

11.50 Crossed a stream 12 ft. wide 3 times—
course E. W. E.

16.00 a Beech 20 in. diam.

40.00 Set gr. sec. post, from which
a Hickory 12 in. dia. bears N 14 E. 54 ft. dist.
an Ash 9 " " " South, 10 " "

59.37 a Hickory 22 " "

80.00 Set post cor. to Sec. 7, 8, 17 & 18, fr. wh.
a soft Ash 5 in. dia. bears N 69 W. 21 ft. dist.
a Burr Oak 4 " " " N 69 E. 13 ft. dist.
Land, level & wet. Ash, Elm, Oak,
Hickory &c.

East An Meander Between Sec. 8 & 17.

40.00 Set temporary gr. sec. post.

80.00 Intersect E. boundary 20 ft. S. of post.
Land, wet level. Fint. Oak,
Ash, Elm Hickory &c.

260
S. 25 N. 13 E. 2nd Mer. Ind.

Ch. Lks.

West correct line Between Sec. 8 & 17.

40.00 Set gr. Sec. post, from which
a Beech 10 in. dia. bears N 85 E 46 lb. dist.
a Wh. Elm 18 in. dia. " S 89 W 47 " "
80.00 Land, level Sec. cor.

West Between sections 7 & 18.

21.82 a Wh. Elm 30 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 16 in. dia. bears N 25 W 30 lb. dist.
a Do. 18 " " " S 92 E 21 " "

77.40 Intersect Range line 66 lb. S. of post
Set post cor. to sec. 7 & 18, fr. wh.
a sw. Ash 24 in. dia. bears N 34 E 25 lb. dist.
an Ash 24 " " " S 3 E 18 " dist.
Land good 2nd rate level.
Beech, Sugar Ash, Oak.

North Between Sec. 7 & 8.

22.81 a Wh. Elm 24 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears S 87 E 40 lb. dist.
a Do. 6 " " " N 84 W 37 " "

53.80 a Hickory 18 in. dia.

80.00 Set post cor. to Sec. 5, 6, 7 & 8, fr. wh.
a Beech 12 in. dia. bears N 10 W 6 lb. dist.
a Do. 6 " " " N 10 E 47 " "
Land, 2nd rate level generally.
Beech Ash Oak Hickory, Spice.

East Between Sec. 5 & 8 on Randon line

40.00 Set temporary gr. Sec. post.

79.76 Intersect E. boundary. 26 lb. N. of post.
Land, 2nd rate level. Beech Ash
Oak, Hickory & Spice &c.

261

S. 25 N. 16. 13 E. 2nd Mea. Ind. a

ch. 110.

West Corner line Between Sec. 5 & 8.
 an Ash 20 in. dia. bears N 79 E. 110. dist.
 a Do. 24 " " " S 79 W. " " "
 79.76 Sec. Cor.

West Between Sections 6 & 7.

19.18 a Sycamore 30 in. diam.
 40.00 Set op. Sec. post. from which
 a Hickory 15 in. dia. bears N 30 W. 140. dist.
 a Sycamore 15 " " " S 48 E. 37 " "
 68.73 a Sugar 20 in. diam.
 77.60 Intersect Range line 95th 1/4 of post. &
 Set post cor. to Sec. 6 & 7, fr. which
 a Beech 12 in. dia. bears S 19 E. 30th 1/4
 a Do. 12 " " " S 19 W. 45 " dist.
 Land, 2nd rate & level Beech Ash
 Oak, Hickory.

North Between Sec. 5 & 6.

18.25 a Wh. Oak 30 in. dia.
 36.00 a Run 6th 1/4. side crs. E.
 40.00 Set temporary gr. Sec. post. fr. wh.
 a Hickory 15 in. dia. bears N 30 E. 19th 1/4 dist.
 a B. Oak 10 " " " S 25 W. 24 " "
 55.38 a Beech 12 " "
 81.10 Intersect N. Boundary 28th 1/4 W. of post.
 Set post cor. to Sec. 5 & 6, fr. wh.
 a Beech 12 in. dia. bears N 8 W. 31th 1/4 dist.
 a Hickory 10 " " " S 12 E. 3th 1/4 dist.
 Land, 2nd rate & level. Beech,
 Ash, Oak, Hickory Elm &c.

Meanders of the Wabash
 River in Beginning at post
 on W. side Cor. to Sec. 3,
 Thence up stream in Sec. 3.

262 T. 25 N. R. 13 E. 2nd Mer. Ind. a

Courses	Ch. Lk.	In sec. 3.
S 5 E	9.00	304 cor. to sec. 2 & 3.
S 17 E	5.50	
S 7 E	5.50	
S 27 E	3.50	In sec. 2. at 200 post in line of sec 2 & 11.
S 13 E	6.00	
S 6 E	6.00	
S 10 W	13.00	
S 9 E	8.00	
S 18 E	16.00	
S 29 E	8.00	
S 9 W	3.50	
S 24 W	4.50	In sec. 11. 20 post in line of 11 & 12.
South	10.50	
S 53 E	24.00	
S 62 E	22.50	
S 74 E	11.00	
S 62 E	9.00	
S 55 E	16.00	
S 60 E	2.00	
S 55 E	10.50	In sec. 12. a Run at 3.00 15 th wide. 20 post in line of sec. 12 & 13.
S 67 E	7.00	
S 53 E	12.50	
S 37 E	5.50	
S 73 E	4.00	
S 83 E	6.00	
N 78 E	3.50	
N 61 E	5.50	
S 81 E	6.50	
S 56 E	5.00	
S 48 E	2.34	
S 40 E	5.00	In sec. 13.

263

T. 25 N. 13 E. 2nd Mer. Ind. a

courses chs. 1 st		continued in sec. 13.
S 32 E	4.50	
N 10 E	5.00	
N 68 E	4.00	
N 45 E	6.50	
N 15 E	5.00	
N 21 E	6.00	cor. to sec. 12 & 13.
N 52 E	6.50	In sec 12 & cor. to Range 13 & 14 E.
S 4 W	4.00	Beginning at post on the Wabash River E. side cor. to sec. 3: Thence up stream In sec. 3.
N 2 E.	26.00	at 6.50 a Run 10 lb. wide at 8.75 to post in line of sections 2 & 3.
S 4 E	5.00	In sec. 3.
N 11 W	12.00	
N 10 E	7.50	
N 6 E	14.50	
S 39 E	7.00	
N 13 E	4.00	
N 14 W	11.00	at 2 chs. cor. to sec. 2 & 11.
S 4 E	5.00	In sec. 11.
S 39 E	4.50	
S 49 E	3.00	
S 56 E	19.00	
S 46 E	4.00	
S 59 E	6.00	
S 68 E	3.50	
S 89 E	7.00	

264 T. 25 N. W. 13 E. 2nd Mer. Ind. a

cont. 9th	c. L.	
67E	10.00	
60E	6.50	
63E	6.00	
60E	6.00	
65E	4.50	
57E	4.50	at 3.00 post in line of NW 1/4.
51E	6.75	In sec. 12.
71E	8.50	
62E	4.50	
48E	8.00	
31E	6.00	
99E	4.00	
80E	5.50	
66E	8.50	
78E	4.50	at 2.00 a run 5 Ch. wide.
87E	6.50	
50E	11.00	
29E	7.00	
12E	5.00	
89E	2.50	
24E	3.00	
20E	2.00	
15E	4.50	
27E	3.00	To post cor. to sec. 12 & 13.
47E	8.50	in sec 13. To post cor. to N. 13 & N. 14 E.

The Land on the Banks of the Wabash in this Township is generally rich level bottom, which is not subject to overflows except in extraordinary floods. The stream is gentle and generally very deep.
May 1822. James S. Worthington, Dist.

265

T. 25 N. 14. 13 E. 2nd Mer. Ind. a.

I certify that the foregoing transcripts
of the field notes of Township N. 25
North in Range 13 East of the 2nd
Meridian, in Indiana has been com-
pared with the original in this office
and found to be correct.

Surveyor General's Office
Indian State, Ind. 24th 1845.
William Johnston
Sur. Genl.